



## ROYL Floor Soap #9130

## ROYL Floor Soap #9131 White

Technical Data Sheet



### Product description:

Concentrated, mildly scented and plant-based cleaner based on 98% natural, bio-based and mineral raw materials. For regular cleaning of oiled surfaces such as parquets and plank floors. After each treatment, a thin, protective and nourishing soap layer remains on the surface.

Available colours: Colourless #9130 en White #9131.

### Product Specifications

Packaging	1-litre bottle
Average yield	Approx. 20 treatments per litre.
Mixing ratio	Approx. 50ml ROYL Floor Soap #9130/ROYL Floor Soap #9131 White to 5 litres of warm water.
Resilient	After the floor has dried.
Odour	Mild.
Storage, transport and shelf-life	Transport and store in a properly closed packaging in a cool and dry, frost-free location. In properly closed original packaging, this product has a shelf-life of at least 24 months. Limited shelf-life after opening.

### Substrate and preparation

- Vacuum the floor.

### Application

- Shake packaging well before use.
- Use two buckets: one with the ROYL Floor Soap solution and one with clean water to rinse the mop.
- Add approximately 50ml ROYL Floor Soap to 5 litres of warm water.
- Use a mop to lightly wet part of the floor with mopping water (don't soak it). Clean this part of the floor. Make sure to remove the mopping water from the floor with a backwards wiping movement and rinse the mop in the rinsing water. Properly wring it out afterwards. Don't let the floor area dry in the meantime, as this could cause the dirt in the mopping water to adhere. Regularly refresh the rinsing water. Finish to clean the entire floor in this way.
- No need to rinse with clean water.

Tip: By alternate use of ROYL Floor Soap #9130/#9131 and ROYL Mild Cleaner #9110, excessive build-up of soap layer is prevented.

### Other:

- Stains that cannot be removed with normal maintenance can often be removed by rubbing them without pressure and lengthwise of the wood with a solution of ROYL Intensive Cleaner #9120. Afterwards, wipe the spot with clean water and, after drying, restore the surface with (coloured) oil. Do not use abrasive materials.
- Consult a parquet professional for deeper discolourations or stains.
- Never use a steam device for cleaning.

### Waste

Please refer to Section 13 of the Safety Data Sheet for the correct waste procedure.

### Maintenance guideline ROYL Maintenance Products

Use the table below as a guideline for maintenance of an oiled floor:

	ROYL Floor Soap #9130 Colourless #9131 White 	ROYL Mild Cleaner #9110 	ROYL Intensive Cleaner #9120 	ROYL Maintenance Oil #9090 Colourless* #9091 White* #9080 Water-based 
Suitable for	Consumer	Consumer	Professional Consumer: ask for advice	*Consumer: < 2m <sup>2</sup> Professional: > 2m <sup>2</sup>
Application	Normal cleaning	Normal cleaning	Periodical cleaning - maintenance	Periodical restoration and repairs - maintenance
Light to moderate traffic such as living rooms and bedrooms.	1 time per week	1 time per week	1 time per year - apply then ROYL Maintenance Oil	1 time per year - in the meantime also locally if necessary
Medium to heavy traffic such as intensively used living rooms, stairs, corridors, offices.	1-2 times per week	1-2 times per week	2 times per year - apply then ROYL Maintenance Oil	2 times per year - in the meantime also locally if necessary
Heavy traffic such as shops, schools, restaurants.	Every 1-2 days	Every 1-2 days	As often as necessary - apply then ROYL Project Maintenance 2K #4580	No Maintenance Oil - Use ROYL Project Maintenance 2K #4580

### Preventive maintenance

- Sand and dirt act like sandpaper. Use doormats to keep dirt to a minimum.
- Never use water alone to clean the floor.
- Don't leave spilt liquids for too long.
- Equip chairs and other furniture with felt pads.
- Over the years, your floor will have to be recoiled with ROYL Oil 1K (#4550) of ROYL Oil 2K (#4560, #4561, #4562).

### Need more information or advice?

For frequently asked questions, please go to [www.rigoverffabriek.nl](http://www.rigoverffabriek.nl). For immediate advice during office hours, you can call +31 (0)255 548 448, send an email to [advies@rigoverffabriek.nl](mailto:advies@rigoverffabriek.nl) or send a WhatsApp message to +31 (0)6 47 05 78 24. The safety data sheet is available from [www.rigoverffabriek.nl](http://www.rigoverffabriek.nl) under product - document/factsheets.